



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

Junction, Advocate Harbor, Wallace, Truro, Springhill, Springhill Junction and Parrsboro, and the vicinity of the Shulee lumber camps. In New Brunswick the disease is generally diffused over Kent County.

STATISTICAL REPORTS OF MOBILITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—YEARLY AND MONTHLY.

ARKANSAS—*Fort Smith*.—Estimated population, 23,000. Reports from May 18, 1906, to December 29, 1906, shows as follows: Total number of deaths, 161, including diphtheria 1, enteric fever 5, and 19 from tuberculosis. Cases of contagious diseases reported: Diphtheria 4, scarlet fever 39, smallpox 2, and tuberculosis 1.

CONNECTICUT—*Hartford*.—Month of December, 1906. Estimated population, 95,000. Health department reports as follows: Total number of deaths, 130 (17 nonresidents), including enteric fever 1, whooping cough 1, diphtheria 2, and 12 from tuberculosis. Cases of contagious diseases reported: Enteric fever 8, diphtheria 57, measles 19, scarlet fever 15, tuberculosis 3.

*Stamford*.—Month of December, 1906. Estimated population, 20,000. Total number of deaths not reported. Cases of contagious diseases reported: Diphtheria 4, enteric fever 1, measles 37, and scarlet fever 2.

FLORIDA.—Reports to the State board of health for the two weeks ended January 5, 1907, show as follows: Diphtheria—Duval County (*Jacksonville*), 2 cases; Hillsboro County (*Tampa*), 1 case; Escambia County (*Pensacola*), 1 case. Enteric fever—Alachua County (*Alachua*), 1 case; Duval County (*Jacksonville*), 1 case; Hillsboro County (*St. Petersburg, Plant City, and Tampa*), 6 cases; Leon County (*Tallahassee*), 1 case. Tuberculosis—Duval County (*Jacksonville*), 3 cases; Marion County (*Dunnellon and Ocala*), 2 cases; Volusia County (*Daytona*), 1 case.

GEORGIA—*Columbus*.—Month of December, 1906. Estimated population, 20,764—white 12,244, black 8,520. Total number of deaths 24—white 9, black 15—including enteric fever 1, and 1 from tuberculosis.

IOWA—*Ottumwa*.—Month of December, 1906. Estimated population, 23,000. Health department reports as follows: Total number of deaths, 15 (1 nonresident), including 2 from tuberculosis. Cases of contagious diseases reported: Smallpox 1, scarlet fever 10, and tuberculosis 4.

LOUISIANA—*New Orleans*.—Month of December, 1906. Estimated population, 333,000 (245,000 white, 88,000 colored). Total number of deaths, 653 (405 white, 248 colored), including diphtheria 8 (white), enteric fever 8 (7 white, 1 colored), measles 1 (white), whooping cough 2 (white), and 76 from tuberculosis, of which 41 were white and 35 colored. The death rate per 1,000 population per annum for the

month was: Whites, 19.83; colored, 33.82. Total white and colored, 23.53.

MASSACHUSETTS—*Newton*.—Month of December, 1906. Estimated population, 37,550. Total number of deaths, 43, including diphtheria 3, and 1 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 12, enteric fever 3, scarlet fever 7, tuberculosis 1.

MINNESOTA—*Winona*.—Month of December, 1906. Estimated population, 23,000. Total number of deaths reported, 19, including 3 from phthisis pulmonalis.

NEW HAMPSHIRE—*Concord*.—Month of December, 1906. Total number of deaths 45, including 5 from tuberculosis. Contagious diseases reported: Diphtheria, 2 cases; enteric fever, 3 cases; scarlet fever, 3 cases.

*Franklin*.—Month of December, 1906. Estimated population, 6,000. Total number of deaths reported, 4. No cases of or deaths from contagious diseases.

NEW YORK.—Month of November, 1906. Estimated population, 8,198,500. Reports to the State department of health show as follows: Total number of deaths, 10,539, corresponding to an annual death rate of 15.4 per 1,000 of the population, includes enteric fever 194, measles 31, scarlet fever 29, whooping cough 46, diphtheria 239, and 1,094 from tuberculosis.

*Saratoga Springs*.—Month of December, 1906. Estimated population, 11,822. Total number of deaths, 17, including 3 from tuberculosis. Cases of contagious diseases reported: Diphtheria 2, measles 1, and tuberculosis 3.

NORTH CAROLINA.—Month of November, 1906. Estimated population, 1,893,810. Reports to State board of health from 75 counties show as follows: Measles in 10 counties, whooping cough in 14 counties, scarlet fever in 8 counties, diphtheria in 34 counties, enteric fever in 40 counties, malarial fever in 10 counties, pernicious malarial fever in 1 county, hemorrhagic malarial fever in 4 counties, and smallpox in 6 counties, viz: Alamance 8, Ashe 10, Guilford 8, Person 1, Wake 40, and Randolph 21 cases.

Reports for the month of November, 1906, from 22 towns having an aggregate population of 197,950—white, 118,600; colored, 79,350—show a total of 283 deaths—white 133, colored 150—including diphtheria 4, enteric fever 14, whooping cough 1, and 40 from phthisis pulmonalis.

*Charlotte*.—Month of December, 1906. Estimated population, 40,000. Total number of deaths, 30, including 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria 3, scarlet fever 4, and whooping cough 1.

OHIO—*East Liverpool*.—Month of November, 1906. Estimated population, 20,000. Total number of deaths, 20, including diphtheria

2, and 1 from tuberculosis. Cases of contagious diseases reported: Diphtheria 24, and scarlet fever 3. Month of December, 1906. Total number of deaths, 28, including diphtheria 2, and 1 from tuberculosis. Cases of contagious diseases reported: Diphtheria 17, and enteric fever, 1.

*Zanesville*.—Month of December, 1906. Estimated population, 25,000. Total number of deaths, 38, including enteric fever 1, and 2 from tuberculosis. Cases of contagious diseases reported: Diphtheria, 7, enteric fever 5, and scarlet fever, 1.

PENNSYLVANIA—*Dunmore*.—Month of December, 1906. Estimated population, 17,500. Total number of deaths, 29, including enteric fever 5, and 3 from tuberculosis. Cases of contagious diseases reported: Diphtheria 2, enteric fever 47, measles 1, scarlet fever 13, whooping cough 1, and tuberculosis 3.

*Highspire*.—Month of December, 1906. Estimated population, 1,500. No deaths reported. Four cases of measles and 2 cases of tuberculosis reported.

*New Castle*.—Month of December, 1906. Estimated population, 35,500. Total number of deaths, 49, including diphtheria 1, enteric fever 1, and 4 from tuberculosis. Cases of contagious diseases reported: Diphtheria 36, enteric fever 7, measles 1, scarlet fever 2, and tuberculosis 2.

UTAH—*Salt Lake City*.—Month of December, 1906. Estimated population, 75,000. Total deaths from all causes, 89, including diphtheria 3, enteric fever 4, and 4 from tuberculosis. Cases of contagious diseases reported: Diphtheria 27, enteric fever 6, measles 1, scarlet fever 8, tuberculosis 2, and smallpox 1.

WISCONSIN—*Milwaukee*.—Month of November, 1906. Estimated population, 345,000. Total number of deaths, 371, including diphtheria 12, enteric fever 8, scarlet fever 3, whooping cough 4, and 33 from tuberculosis. Cases of contagious diseases reported: Diphtheria 87, enteric fever 66, measles 4, scarlet fever 11, smallpox 34, and tuberculosis 36.

*Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, December 28, 1906, to January 18, 1907.*

For reports received from June 29, 1906, to December 28, 1906, see PUBLIC HEALTH REPORTS for December 28, 1906.

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
Arkansas:				
Fort Smith.....	Dec. 2-15.....	2	.....	
Total for State.....	.....	2	.....	
California:				
Los Angeles.....	Dec. 23-29.....	1	.....	
San Francisco.....	Dec. 6-22.....	2	.....	
Total for State.....	.....	3	.....	